

DARIA

LARGE SIZE



Half lantern in classic style, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. E27 version with support for ballast fixation or supplied with TÜV-CB certified, long-life and efficient **LED lamps** suitable for outdoor use. Insulation class II, protection rating IP 55.




DARIA
M28.000

*Mezza lanterna in stile classico, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Versione E27 idonea all'utilizzo di reattori o fornita completa di **lampadine LED** adatte ad uso in ambiente esterno, certificate TÜV-CB, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.*

6,5W 800 lm	8,5W 920 lm	11W 1200 lm
2700 K	2700 K	4000 K 6500 K
+80°C -30°	90% HUMIDITY	VOLTAGE SURGE RESISTANT
INDOOR & OUTDOOR USE		



M28.000.F1R



MADE IN ITALY

DARIA - LANTERN COMPONENTS

IP55



CAGE made of shockproof resin material, UV rays stabilized, rust and corrosion-free.

***GABBIA** realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.*

DIFFUSER made of UV stabilized polymethylmethacrylate (PMMA) resistant to yellowing process due to sun rays, available in clear or opal color and made of one piece only.

***DIFFUSORE** in polimetilmetacrilato (PMMA) resistente al processo di ingiallimento dovuto ai raggi solari, disponibile in colore trasparente od opale e realizzato in un pezzo unico.*

WALL PLATE made of shockproof white resin reflective material, UV rays stabilized, rust and corrosion-free. Supplied complete with E27 lampholder.

***BASE A MURO** realizzata in resina antiurto in colore bianco riflettente, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Fornita completa di portalampada E27.*

DARIA

M28.000



515

Dimensions and weight

Height: 515 mm
Width: 315 mm
Depth: 170 mm
Weight: 2,3 Kg

Moulded colours:

Black

Antique green

Antique bronze

Diffuser PMMA:

Clear

Opal

E27 FILAMENT



- Perfect **MATCHING WITH DECORATIVE LANTERNS.**
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **360°OMNIDIRECTIONAL LIGHT.**
- **HIGH EFFICIENCY:** 90% ENERGY SAVING.

E27 CCT SET




- **A60 CCT SETTABLE:** 2700K/4000K/6500K.
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **EYE COMFORT** opal glass.
- **HIGH EFFICIENCY:** >85% ENERGY SAVING.

100 - 240 V

*ADD. SUFFIX


suitable lamps: CFL-LED		E27 lampholder only		.E27
LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	
 FILAMENT LED E27	6,5W	800 lm	2700 K	.F1R
 CCT SET LED E27	11 W	1200 lm	6500 K	.T1K
			4000 K	
			2700 K	
 6,5W filament		=	 60W incandescent	
 11W CCT			 75W incandescent	
SAVE up to 89%				

LED LAMPS




Comply with: EU2019/2015
EU2019/2020
Technical details on page 668.

CCT SETTABLE LED LAMP



CCT switch settable in three different positions, to select the desired Kelvin temperature (2700K/4000K/6500K) and get a customized ambiance.

PHOTOMETRIC DATA SAMPLE



DARIA lantern clear with Fumagalli Led Lamp CCT set 11W.

height wall mounting: 2,5mt
10x10mt area: average 8 lux


The photometric data for all the versions are available upon request or on our website.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

HALF LANTERNS

GARDEN CLASSIC





HALF LANTERNS

GARDEN CLASSIC

PIERO	
E27	M18.000.E27
6,5W filament	M18.000.F1R
8,5W CCT set	M18.000.V1K
Pcs 18 Kg 15,4 mc 0,172	

IESSE	
E27	M22.000.E27
6,5W filament	M22.000.F1R
8,5W CCT set	M22.000.V1K
Pcs 16 Kg 14 mc 0,224	

ESAU	
E27	M26.000.E27
6,5W filament	M26.000.F1R
8,5W CCT set	M26.000.V1K
11W CCT set	M26.000.T1K
Pcs 10 Kg 13,12 mc 0,20	

DARIA	
E27	M28.000.E27
6,5W filament	M28.000.F1R
11W CCT set	M28.000.T1K
Pcs 1 Kg 2,3 mc 0,03	