


LUCIA RANGE

ROUND


Round bulkhead lamp with ring, eyelid or guard cover. Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for ceiling, wall and post installation also with bracket angled at 35°. Supplied as option with coloured backlit base. **Kelvin & Power settable GX53 LED** or **E27** version available. Insulation class II, Protection rating IP66.

*Plafoniera circolare con cover ad anello, a palpebra o a manubrio. Realizzata in resina antiurto stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il montaggio a parete, a soffitto e a palo anche con braccio angolato a 35°. Disponibile anche con base per retroilluminazione colorata. Fornita nella versione a **LED GX53 con Kelvin e Potenza impostabili** o **E27**. Classe di isolamento II, grado di protezione IP66.*




LUCIA
1R3.000

S 1R4.000
SMART PACK



LUCIA-EL
2R3.000

S 2R4.000
SMART PACK



LUCIA-GD
3R3.000

S 3R4.000
SMART PACK




REMI/LUCIA
1R3.602



REMI/LUCIA-EL
2R3.602



REMI/LUCIA-GD
3R3.602



1R3.000.E1P

POWER SETTABLE

15W

9W

CCT SETTABLE

2700 K

4000 K

SDCM <6



MADE IN ITALY

LUCIA COMPONENTS

IP 66



COVER made of shockproof resin material, UV-rays stabilized. Ring, eyelid and grid versions available.

COVER in resina antiurto stabilizzata ai raggi UV, disponibile nella versione ad anello, a palpebra e a griglia.

Opal **DIFFUSER** made of UV-rays stabilized polymethylmethacrylate (PMMA), with silicone rubber gasket to ensure high protection against external agents.


DIFFUSORE opale realizzato in polimetilmetacrilato (PMMA) stabilizzato ai raggi UV. Completo di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni.

BASE made of shockproof resin material, provided with E27 or GX53 lampholder. Available in different backlit colours to create a coloured effect on wall and ceilings.

BASE realizzata in resina antiurto. Fornita completa di portalampada E27 o GX53. Disponibile in diversi colori per creare una retroilluminazione colorata su pareti e soffitti.



LUCIA



Dimensions and weight

Diameter: Ø 300 mm
Depth: 90 mm
Weight: 1 Kg


Moulded colours:

☒ Black ☐ White ☐ Grey

Diffuser PMMA:

☐ Opal

LED LAMPS



Comply with: EU2019/2015
EU2019/2020
Technical details on page 668.

GX53 LED



Bulkhead supplied **fully pre-wired** and complete with TÜV-CB certified, long-life, efficient, Kelvin and Power settable GX53 LED lamp included.

- **COST SAVING:** long-life and efficient LED light sources.
- **BUILT-IN DRIVER:** Quick and easy lamp replacement.
- **UNIFORM LIGHT:** No shadows on the diffuser.

100 - 240 V

LAMP	POWER SETTABLE	LUMINOUS FLUX UP TO	COLOUR TEMP.	*ADD. SUFFIX
	15 W	1940 lm	2700 K	.E1P
			4000 K	
	9 W eco mode	1300 lm	2700 K	
			4000 K	



15W-9W = 150W-100W
incandescent

SAVE 90%



E27



Bulkhead supplied **fully pre-wired** with **E27 lampholder**. White resin reflective plate designed to grant lampholder protection and isolation. Safe fixation of the electrical devices on the plate rear side.

Daylight and motion sensor available as an option. Sensor operating voltage: 220-240V (120V available on demand).

*ADD. SUFFIX

E27 (CFL -LED)	max 160 mm	.E27
E27 + SENSOR (CFL -LED)		.ES7

BOLLARD VERSION



Lucia bulkhead range can be mounted on a pole with or without an angled bracket. More detailed information at page 182.


SETTABLE LED LAMP

POWER SETTABLE

15W



CCT SETTABLE



POWER switch settable in two different positions to select full power mode (15W) or eco mode (9W).

CCT switch settable in two different positions, to select the desired Kelvin temperature (2700K/4000K) and get a customized ambiance.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

GARDEN REVIVAL
GARDEN CLASSIC
BOLLARD
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BULKHEAD
SOLAR
URBAN CLASSIC
URBAN REVIVAL
URBAN MODERN
POST
LAMPS

LUCIA RANGE

ROUND



MADE IN
ITALY



LUCIA E27	
E27 lampholder	1R3.000.E27
E27 with sensor	1R3.000.ES7
Pcs 16 Kg 16,8 mc 0,194 CCT & POWER SETTABLE GX53 LED LAMP INCLUDED 2700K/4000K	
LUCIA GX53	
15W/9W	1R3.000.E1P

REMI/LUCIA E27	
E27 lampholder	1R3.602.E27
E27 with sensor	1R3.602.ES7
Pcs 16 Kg 20 mc 0,194 CCT & POWER SETTABLE GX53 LED LAMP INCLUDED 2700K/4000K	
REMI/LUCIA GX53	
15W/9W	1R3.602.E1P

LUCIA-EL E27	
E27 lampholder	2R3.000.E27
E27 with sensor	2R3.000.ES7
Pcs 16 Kg 16,8 mc 0,194 CCT & POWER SETTABLE GX53 LED LAMP INCLUDED 2700K/4000K	
LUCIA-EL GX53	
15W/9W	2R3.000.E1P

REMI/LUCIA-EL E27	
E27 lampholder	2R3.602.E27
E27 with sensor	2R3.602.ES7
Pcs 16 Kg 20 mc 0,194 CCT & POWER SETTABLE GX53 LED LAMP INCLUDED 2700K/4000K	
REMI/LUCIA-EL GX53	
15W/9W	2R3.602.E1P

LUCIA-GD E27	
E27 lampholder	3R3.000.E27
E27 with sensor	3R3.000.ES7
Pcs 16 Kg 16,8 mc 0,194 CCT & POWER SETTABLE GX53 LED LAMP INCLUDED 2700K/4000K	
LUCIA-GD GX53	
15W/9W	3R3.000.E1P

REMI/LUCIA-GD E27	
E27 lampholder	3R3.602.E27
E27 with sensor	3R3.602.ES7
Pcs 16 Kg 20 mc 0,194 CCT & POWER SETTABLE GX53 LED LAMP INCLUDED 2700K/4000K	
REMI/LUCIA-GD GX53	
15W/9W	3R3.602.E1P