

AMELIA

ROUND BOLLARD



LED lamp range in modern style, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Round bollards in different sizes, spike and wall mounted versions available. Provided with opal PMMA diffuser to get a uniform light distribution. Supplied with TÜV-CB certified, long-life, efficient and **Kelvin settable E27 LED lamp included**. Insulation class II, protection rating IP55.

Collezione di lampade a LED in stile moderno, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Ampia gamma di versioni disponibili per installazioni su stelo bollard in diverse altezze, con picchetto o a parete. Lampada provvista di diffusore in metacrilato opale che garantisce un'uniforme distribuzione della luce. Fornita con inclusa lampadina LED E27 con Kelvin impostabile, certificata TÜV-CB, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.

6,5W 800 lm	8,5W 920 lm	11W 1200 lm
2700 K	2700 K	4000 K 6500 K
+80°C -30°	90% HUMIDITY	VOLTAGE SURGE RESISTANT
INDOOR & OUTDOOR USE		




DR2.575.T1K

CCT SETTABLE

SDCM <6

2700 K 4000 K 6500 K

MADE IN ITALY



AMELIA COMPONENTS

IP55



CAP fixed to the diffuser with no visible screws made of shockproof resin material, UV-rays stabilized, rust and corrosion-free.

CALOTTA fissata al diffusore senza viti a vista, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.

DIFFUSER in opal colour to get a uniform light distribution. Made of UV-rays stabilized polymethylmethacrilate (PMMA) and provided with silicone rubber gasket to ensure high protection against external agents.

DIFFUSORE in colore opale per garantire un'uniforme distribuzione della luce. Realizzato in polimetilmetacrilato (PMMA) resistente all'ingiallimento ed ai raggi UV, completo di guarnizione in gomma silconica per garantire un alto livello di protezione contro gli agenti esterni.

CONNECTION RING made of shockproof resin material, provided with E27 lampholder.

GHIERA di raccordo realizzata in resina antiurto fornita completa di portalampada E27.

INSTALLATION ELEMENTS:

- POLES for bollard versions
- BRACKETS for wall mounted
- SPIKE for in ground installation

ELEMENTI DI FISSAGGIO:

- STELI per versione bollard
- SUPPORTI per installazione a parete
- PICCHETTO per istallazione nel terreno

AMELIA

— Ø100 —



Dimensions

Diameter: Ø100mm
Height: 250/400/800 mm

Moulded colours:

- Black
- White
- Grey

Diffuser PMMA:

- Opal

LED LAMPS





Comply with: EU2019/2015
EU2019/2020
Technical details on page 636.

E27 LED


100 - 240 V



LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	*ADD. SUFFIX
	8,5 W	920 lm	6500 K	.V1K
			4000 K	
			2700 K	
	11W	1200 lm	6500 K	.T1K
			4000 K	
			2700 K	

Bollard supplied as standard with TÜV-CB certified, long-life, efficient and Kelvin settable E27 LED lamp included. Quick and easy lamp replacement for a very simple maintenance after installation.

- **COST SAVING:** long life and efficient LED light sources.
- **GREAT FLEXIBILITY:** E27 standard lamp holder.
- **100-240V:** to protect the driver from power surges.
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to the latest technology developments.
- **HIGH EFFICIENCY:** > 85% energy saving.



SAVE 85%

CCT SETTABLE LED LAMP




CCT switch settable in three different positions, to select the desired Kelvin temperature (2700K/4000K/6500K) and get a customized ambiance.


* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

LAMPS POST URBAN MODERN URBAN REVIVAL URBAN CLASSIC SOLAR BULKHEAD FLOODLIGHT BRICKLIGHT IN-GROUND DOWNLIGHT UP&DOWN BOLLARD GARDEN CLASSIC GARDEN REVIVAL

AMELIA

ROUND BOLLARD





AMELIA 800	
8,5W	DR2.575.V1K
11W	DR2.575.T1K
CCT SETTABLE E27 LED LAMP INCLUDED 2700K/4000K/6500K	
Pcs 6 Kg 15 mc 0,147	

AMELIA 400	
8,5W	DR2.574.V1K
11W	DR2.574.T1K
CCT SETTABLE E27 LED LAMP INCLUDED 2700K/4000K/6500K	
Pcs 12 Kg 22,5 mc 0,147	

AMELIA 250	
8,5W	DR2.573.V1K
11W	DR2.573.T1K
CCT SETTABLE E27 LED LAMP INCLUDED 2700K/4000K/6500K	
Pcs 20 Kg 21 mc 0,121	

AMELIA-FS	
8,5W	DR2.571.V1K
11W	DR2.571.T1K
CCT SETTABLE E27 LED LAMP INCLUDED 2700K/4000K/6500K	
Pcs 20 Kg 21 mc 0,121	

AMELIA WALL	
8,5W	DR2.570.V1K
11W	DR2.570.T1K
CCT SETTABLE E27 LED LAMP INCLUDED 2700K/4000K/6500K	
Pcs 20 Kg 21 mc 0,121	

AMELIA SPIKE	
8,5W	DR2.572.V1K
11W	DR2.572.T1K
CCT SETTABLE E27 LED LAMP INCLUDED 2700K/4000K/6500K	
Pcs 20 Kg 21 mc 0,121	