

FRANCY

UP & DOWN


Bulkhead lamp with no visible screws and UP&DOWN light emission. Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Supplied as optional with TÜV-CB certified, long-life and efficient **E27 LED lamp** suitable for outdoor use. Insulation class II, protection rating IP66.



*Plafoniera senza viti a vista con emissione della luce UP&DOWN. Realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Fornita anche completa di **lampadina LED E27** adatta ad uso in ambiente esterno, certificata TÜV-CB, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP66.*



1A1.000.F1R



FRANCY - COMPONENTS

IP 66



COVER with no visible screws made of shockproof resin material UV-rays stabilized. Designed for getting UP&DOWN or side light emission.

***COVER** senza viti a vista realizzata in resina antiurto, stabilizzata ai raggi UV. Disegnata per ottenere un'emissione laterale della luce.*

DIFFUSER made of UV-rays stabilized polymethylmethacrylate (PMMA) screwed to the bulkhead base.

***DIFFUSORE** realizzato in polimetilmetacrilato (PMMA) stabilizzato ai raggi UV da avvitare alla base della plafoniera.*

BASE made of shockproof resin material, UV-rays stabilized, suitable for the electrical devices fixation. Provided with E27 lampholder and with silicone rubber gasket to ensure high protection against external agents.

***BASE** realizzata in resina antiurto, stabilizzata ai raggi UV, adatta ad alloggiare gli accessori elettrici. Fornita completa di portalamada E27 e di guarnizione in gomma silconica per garantire un alto livello di protezione contro gli agenti esterni.*

FRANCY



Dimensions and weight

Width: 130 mm
Height: 300 mm
Depth: 90 mm
Weight: 0,7 Kg

Moulded Colours:

☒ Black ☐ Grey ☐ White

Diffuser PMMA:

☐ Opal

E27




Bulkhead supplied **complete** with **E27** lampholder. Provided as an option with TÜV-CB certified, long-life, efficient **E27 LED lamp** suitable for outdoor use. Quick and easy lamp replacement for a very simple maintenance after installation.

E27 with sensor




Bulkhead supplied **complete** with **E27** lampholder and **LED lamps** as an option. Provided with microwave daylight and motion **sensor**. Sensor operating voltage: 220-240V. (120V version available on demand).

LED LAMPS



Comply with: EU2019/2015
EU2019/2020
Technical details on page 668.

CCT SETTABLE LED LAMP



CCT switch settable in three different positions, to select the desired Kelvin temperature (2700K/4000K/6500K) and get a customized ambiance.

E27 (CFL-LED)		max 160 mm	*ADD. SUFFIX	
			.E27	
LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	
FILAMENT LED E27	6,5 W	800 lm	2700 K	.F1R
CCT SET LED E27 (*)	8,5 W	920 lm	6500 K	.V1K
			4000 K	
			2700 K	

E27 (CFL-LED)		max 160 mm	*ADD. SUFFIX	
			.E27	
LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	
FILAMENT LED E27	6,5 W	800 lm	2700 K	.S1R
CCT SET LED E27	8,5 W	920 lm	6500 K	.VSK
			4000 K	
			2700 K	

6,5W filament = 60W incandescent



8,5W CCT


SAVE up to 89%


* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

FRANCY

UP&DOWN





FRANCY		
E27 lampholder		1A1.000.E27
6,5W filament	2700K	1A1.000.F1R
8,5W CCT set	2700K / 4000K / 6500K	1A1.000.V1K
		
Pcs 24 Kg 18,2 mc 0,12		