

FRANCY-OP

RECTANGULAR

Bulkhead lamp with no visible screws and front light emission. Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for wall and ceiling installation. Complete with TÜV-CB certified, long-life, efficient and **Kelvin settable GX53 LED lamps included** or provided with E27 lampholder. Version with motion sensor available. Insulation class II, Protection rating IP66.


 FRANCY-OP
 2A1.000


 2A2.000
 SMART PACK

Plafoniera senza viti a vista con emissione della luce frontale. Realizzata in resina antiurto stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il montaggio a parete e a soffitto. Completa di lampadine a LED GX53 con Kelvin impostabile certificate TÜV-CB di lunga durata ed elevata efficienza o fornita nella versione E27. Disponibile anche con sensore di movimento. Classe di isolamento II, grado di protezione IP66.



2A1.000

CCT SETTABLE



SDCM <6


3000 K

4000 K

6500 K



MADE IN ITALY



FRANCY-OP - COMPONENTS

IP 66



COVER with no visible screws made of shockproof resin material UV-rays stabilized. Designed for getting front light emission.

COVER senza viti a vista realizzata in resina antiurto, stabilizzata ai raggi UV. Disegnata per ottenere un'emissione frontale della luce.



DIFFUSER made of UV-rays stabilized polymethylmethacrylate (PMMA) screwed to the bulkhead base.

DIFFUSORE realizzato in polimetilmetacrilato (PMMA) stabilizzato ai raggi UV da avvitare alla base della plafoniera.



BASE made of shockproof resin material, UV-rays stabilized, suitable for the electrical devices fixation. Provided with E27 or with 2x GX53 lampholders and complete with silicone rubber gasket to ensure high protection against external agents.

BASE realizzata in resina antiurto, stabilizzata ai raggi UV, adatta ad alloggiare gli accessori elettrici. Fornita completa di portalampada E27 o di 2 portalampada GX53. Completa di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni.

FRANCY-OP

— 130 —



300

Dimensions and weight

Width: 130 mm
Height: 300 mm
Depth: 85 mm
Weight: 0,6 Kg

Moulded Colours:

☒ Black ☒ Grey ☐ White

Diffuser PMMA:

☐ Opal

LED LAMPS



Comply with: EU2019/2015
EU2019/2020
Technical details on page 668.

GX53 LED




Bulkhead supplied complete with 2 x TÜV-CB certified long-life, efficient and **Kelvin settable GX53 LED lamps included**. Quick and easy lamp replacement for a very simple maintenance after installation.

100 - 240 V

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	COLOUR TEMP.	*ADD. SUFFIX
	2x 3W 6 W	820 lm	6500 K 4000 K 3000 K	.G2K



CCT SETTABLE LED LAMP



E27



Bulkhead supplied complete with E27 lampholder. Provided as an option with TÜV-CB certified, long-life and efficient **LED lamps** suitable for outdoor use.

E27 (CFL -LED)	max 160 mm	*ADD. SUFFIX
	↔	.E27

LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	
	6,5 W	800 lm	2700 K	.F1R
	8,5 W	920 lm	6500 K 4000 K 3000 K	.V1K


E27 with sensor



Bulkhead supplied complete with **E27** lampholder and **E27 LED lamps** as an option. Complete with microwave daylight and motion **sensor**. Sensor operating voltage: 220-240V. (120V version available on demand).

E27 (CFL -LED)	max 160 mm	*ADD. SUFFIX
	↔	.ES7


LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	
	6,5 W	800 lm	2700 K	.S1R
	8,5 W	920 lm	6500 K 4000 K 3000 K	.VSK



FRANCY-OP

RECTANGULAR





FRANCY-OP GX53	
6W	2A1.000.G2K
2 CCT SETTABLE GX53 LED LAMPS INCLUDED 3000K/4000K/6500K	
Pcs 24 Kg 17,2 mc 0,12	

FRANCY-OP E27	
6,5W filament	2A1.000.F1R
8,5W CCT set	2A1.000.V1K
Pcs 24 Kg 15,7 mc 0,12	
E27 lampholder	2A1.000.E27
E27 with sensor	2A1.000.ES7