

GARDEN REVIVAL
GARDEN CLASSIC
BOLLARD
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BULKHEAD
SOLAR
URBAN CLASSIC
URBAN REVIVAL
URBAN MODERN
POST
LAMPS

PIETRO GX53 LED - FLAT DIFFUSER

GRAND SIZE



Square lantern in classic style, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Modular construction suitable for post top, hanging and wall installation. Supplied as standard with **FLAT diffuser** and equipped with TÜV-CB certified, long-life, powerful, efficient and **Kelvin settable GX53 LED modular system**. Designed according to the international regulations against light pollution (standard UNI 10819). Insulation class II, Protection rating IP 55.

*Lanterna quadra in stile classico, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idonea per il montaggio a palo, a sospensione o a parete. Fornita con **diffusore piatto** ed equipaggiata con **sistema modulare a LED GX53 con Kelvin impostabile** certificato TÜV-CB di lunga durata ed alta efficienza. Progettato in ottemperanza alle norme internazionali contro l'inquinamento luminoso (standard UNI 10819). Classe di isolamento II, grado di protezione IP55.*

U45.000.D8K



CCT SETTABLE



3000 K

4000 K

6500 K

SDCM <6



MADE IN ITALY

PIETRO GX53 LED - LANTERN COMPONENTS

IP55



Decorative **PINNACLE** to be mounted on the roof top for post installation or on the lantern base for hanging installation.

***PINNACOLO** decorativo applicabile alla sommità del tetto (montaggio a palo) o sulla base della gabbia (montaggio a sospensione).*

LANTERN ROOF made of shockproof resin material, UV-rays stabilized.

***TETTO** realizzato in resina antiurto, stabilizzata ai raggi UV.*

DIFFUSER with FLAT shape made of UV-rays stabilized polymethylmethacrylate (PMMA), provided with silicone rubber gasket to ensure an increased protection against external agent.

***DIFFUSORE** in polimetilmetacrilato (PMMA) con configurazione piatta, provvisto di guarnizione in gomma silconica per garantire una migliore protezione contro gli agenti esterni.*

CAGE in one piece only made of shockproof resin material, UV-rays stabilized, rust and corrosion-free.

***GABBIA** realizzata in un unico pezzo e fabbricata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.*

PIETRO GX53 LED

U45.000 *



Dimensions and weight

Height: 770 mm
Width: 430 mm
Depth: 430 mm
Weight: 9,1 Kg
Junction to support: diameter 60 mm
Area exposed to wind pressure:
CxS = m² 0,182

Moulded colours:

Black White

Painted colours:

Antique green Antique bronze

Diffuser PMMA:

Clear Opal

GX53 LED





- **COST SAVING:** long-life and efficient LED light sources.
- **BUILT-IN DRIVER:** quick and easy lamp replacement.
- **GREAT FLEXIBILITY:** GX53 standard lamp holder.
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments.
- **SUITABLE FOR OUTDOOR USE:** built-in driver fully protected against heat and humidity by silicone paste.

Lantern supplied with white resin CEILING provided with 8x TÜV-CB certified, long-life, efficient and Kelvin settable GX53 LED lamps included. Each lamp can be quickly and easily replaced individually, making the luminaries maintenance very simple.

100 - 240 V

LAMP	POWER	LUMINOUS FLUX (Φ TOTAL) UP TO	COLOUR TEMP.	*ADD. SUFFIX
	8x 10 W 80 W	10320 Lm	6500 K	.D8K
			4000 K	
			3000 K	

PHOTOMETRIC DATA SAMPLE



PIETRO GX53 LED
8X10W

POST height 4,5mt
10x10mt area: average 28 lux


The photometric data for all the versions are available upon request or on our website.

LED LAMPS



Comply with: EU2019/2015
EU2019/2020
Technical details on page 668.

CCT SETTABLE LED LAMP



CCT switch settable in three different positions, to select the desired Kelvin temperature (3000K/4000K/6500K) and get a customized ambience.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

GARDEN REVIVAL
GARDEN CLASSIC
BOLLARD
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BULKHEAD
SOLAR
URBAN CLASSIC
URBAN REVIVAL
URBAN MODERN
POST
LAMPS

PIETRO

GRAND SIZE



GIONA 5000/PIETRO	
U43.227	U45.227
GX53	
Pcs 1 Kg 67,5 mc 1,112	430

GIONA 4000/PIETRO	GIONA 4500/PIETRO
U43.221	U43.224
GX53	U45.224
Pcs 1 Kg 62,5 mc 0,862	Pcs 1 Kg 65,5 mc 0,982

KARMEL 3500/PIETRO	KARMEL 4000/PIETRO
U43.234	U43.237
GX53	U45.237
Pcs 1 Kg 38,6 mc 0,402	Pcs 1 Kg 42 mc 0,453

LOT/PIETRO	
U43.113	U45.113
GX53	
Pcs 1 Kg 8,4 mc 0,182	430

KARMEL 3000/PIETRO	
U43.231	U45.231
GX53	
Pcs 1 Kg 33 mc 0,362	430

PIETRO	
U43.000	U45.000
GX53	
Pcs 1 Kg 7,5 mc 0,182	430

TABOR/PIETRO	HOREB/PIETRO
U43.204	U43.207
GX53	U45.207
Pcs 1 Kg 33 mc 0,362	Pcs 1 Kg 35,5 mc 0,402

GIONA 4000/PIETRO

GRAND SIZE



MADE IN
ITALY



CEFA



SIMON




PIETRO

GIONA 4000 ARON/PIETRO 4L

U43.221.N40

GX53

U45.221.N40




GIONA 4000 ARON/PIETRO 1L

U43.221.N10

GX53

U45.221.N10




GIONA 4000 ARON/PIETRO 2L

U43.221.N20

GX53

U45.221.N20



GIONA 4500-5000/PIETRO

GRAND SIZE





CEFA



SIMON




W

GIONA 4500 ARON/PIETRO 1L **GIONA 5000 ARON/PIETRO 1L**

U43.224.N10 U43.227.N10
GX53 U45.224.N10 U45.227.N10

Pcs 1
Kg 71,5
mc 0,949

Pcs 1
Kg 73,5
mc 1,191





ARON/PIETRO

U43.172

U45.172

GX53

Pcs 1
Kg 13
mc 0,223



GIONA 4500 ARON/PIETRO 2L

U43.224.N20

U45.224.N20

GX53

Pcs 1
Kg 82,5
mc 1,196


GIONA 5000 ARON/PIETRO 2L

U43.227.N20

U45.227.N20

GX53

Pcs 1
Kg 84,5
mc 1,329



GIONA 4500 ARON/PIETRO 4L

U43.224.N40

U45.224.N40

GX53

Pcs 1
Kg 105
mc 1,444


GIONA 5000 ARON/PIETRO 4L

U43.227.N40

U45.227.N40

GX53

Pcs 1
Kg 107
mc 1,605



ERMON.R/PIETRO resin

U43.195

U45.195

GX53

Pcs 1
Kg 13,5
mc 0,250

