

GLOBE 300 MODERN

MEDIUM SIZE



Ø 300 mm PMMA globe, complete with modern globe base made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for post top or wall installation. Supplied as optional with TÜV-CB certified, long-life and efficient **LED lamps** suitable for outdoor use. Insulation class II, protection rating IP 55.

*Globo Ø 300 mm in polimetilmetacrilato (PMMA) completo di base moderna realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idoneo per il montaggio a palo o a parete. Fornito anche completo di **lampadine LED** adatte ad uso in ambiente esterno, certificate TÜV-CB, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.*

6,5W 800 lm	8,5W 920 lm	11W 1200 lm
2700 K	2700 K	4000 K 6500 K

TUV



+80°C
-30°


90% HUMIDITY

VOLTAGE SURGE
RESISTANT

INDOOR & OUTDOOR USE

G31.240





GLOBE 300 MODERN - COMPONENTS

IP55



Ø 300 mm **GLOBE** made of UV-rays stabilized polymethylmethacrylate (PMMA), one piece only. Available in clear, opal or smoked colour.

***GLOBO** Ø 300 mm in polimetilmetacrilato (PMMA), resistente all'ingiallimento ed ai raggi UV, realizzato in un unico pezzo. Disponibile nei colori trasparente, bianco o fumé.*

Clear (X)

Opal (Y)

Smoked (Z)




GLOBE BASE with modern design, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Supplied complete with E27 lampholder.

***REGGIBOCCIA** con disegno moderno realizzato in resina antiurto, stabilizzato ai raggi UV, inattaccabile da ruggine e corrosione. Fornito completo di portalampada E27.*

GLOBE 300 MODERN

G31.B31 *



Dimensions and weight

Height: 310 mm
Diameter: 300 mm
Weight: 1,1 Kg

Moulded colours:

Black White
Grey

Diffuser PMMA:

Clear Opal Smoked

E27 FILAMENT

E27 CCT SET

100 - 240 V

*ADD. SUFFIX



suitable lamps: CFL-LED		E27 lampholder only		.E27
LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	
	6,5W	800 lm	2700 K	.F1R
	8,5 W	920 lm	6500 K 4000 K 2700 K	.V1K
	11 W	1200 lm	6500 K 4000 K 2700 K	.T1K

	6,5W filament	=	60W incandescent
	8,5W CCT	=	75W incandescent
	11W CCT	=	75W incandescent

SAVE up to 89%

- Perfect **MATCHING WITH DECORATIVE LANTERNS.**
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **360°OMNIDIRECTIONAL LIGHT.**
- **HIGH EFFICIENCY:** 90% ENERGY SAVING.


- **A60 CCT SETTABLE:** 2700K/4000K/6500K.
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **EYE COMFORT** opal glass.
- **HIGH EFFICIENCY:** >85% ENERGY SAVING.

LED LAMPS





Comply with: EU2019/2015
EU2019/2020
Technical details on page 668.

CCT SETTABLE LED LAMP



CCT switch settable in three different positions, to select the desired Kelvin temperature (2700K/4000K/6500K) and get a customized ambiance.

PHOTOMETRIC DATA SAMPLE



GLOBE 300 MODERN clear with Fumagalli Led Lamp CCT set 8,5W.

POST height 2mt
6x6mt area: average 3,5 lux


The photometric data for all the versions are available upon request or on our website.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

GLOBE 300 MODERN

MEDIUM SIZE





GLOBE 300 MODERN

MEDIUM SIZE

MIDIDISMA /G300

E27 lampholder	G31.116.E27
6,5W filament	G31.116.F1R
8,5W CCT set	G31.116.V1K
11W CCT set	G31.116.T1K

Pcs 24
Kg 36,5
mc 0,829

NARDO /G300

E27 lampholder	G31.240.E27
6,5W filament	G31.240.F1R
8,5W CCT set	G31.240.V1K
11W CCT set	G31.240.T1K

Pcs 24
Kg 32,9
mc 0,829

SICAR /G300

E27 lampholder	G31.125.E27
6,5W filament	G31.125.F1R
8,5W CCT set	G31.125.V1K
11W CCT set	G31.125.T1K

Pcs 24
Kg 38
mc 0,840

GIAFFA/G300 resin

E27 lampholder	G31.242.E27
6,5W filament	G31.242.F1R
8,5W CCT set	G31.242.V1K
11W CCT set	G31.242.T1K

Pcs 2
Kg 7
mc 0,122

GLOBE 300 MODERN

G31.B31

Pcs 2
Kg 1,6
mc 0,025

DANILO/G300

E27 lampholder	G31.305.E27
6,5W filament	G31.305.F1R
8,5W CCT set	G31.305.V1K
11W CCT set	G31.305.T1K

Pcs 2
Kg 17,8
mc 0,420

DINO/G300

E27 lampholder	G31.306.E27
6,5W filament	G31.306.F1R
8,5W CCT set	G31.306.V1K
11W CCT set	G31.306.T1K

Pcs 2
Kg 18,2
mc 0,490

EMILIO/G300

E27 lampholder	G31.307.E27
6,5W filament	G31.307.F1R
8,5W CCT set	G31.307.V1K
11W CCT set	G31.307.T1K

Pcs 2
Kg 21,4
mc 0,560

EMILIO NARDO/G300 2L

E27 lampholder	G31.307.D20.E27
6,5W filament	G31.307.D20.F1R
8,5W CCT set	G31.307.D20.V1K
11W CCT set	G31.307.D20.T1K

Pcs 2
Kg 23,2
mc 0,757


EMILIO NARDO/G300 3L

E27 lampholder	G31.307.D30.E27
6,5W filament	G31.307.D30.F1R
8,5W CCT set	G31.307.D30.V1K
11W CCT set	G31.307.D30.T1K

Pcs 2
Kg 25,8
mc 0,864

GLOBE 300 MODERN
MEDIUM SIZE






GLOBE 300 MODERN

MEDIUM SIZE

ARGO 300/G300 resin *	
E27 lampholder	G31.255.E27
6,5W filament	G31.255.F1R
8,5W CCT set	G31.255.V1K
11W CCT set	G31.255.T1K


Pcs 2
Kg 4,9
mc 0,08



*available colour: black

ARGO 500/G300 resin *	
E27 lampholder	G31.256.E27
6,5W filament	G31.256.F1R
8,5W CCT set	G31.256.V1K
11W CCT set	G31.256.T1K


Pcs 2
Kg 5,6
mc 0,094



*available colour: black

ARGO 800/G300 resin *	
E27 lampholder	G31.257.E27
6,5W filament	G31.257.F1R
8,5W CCT set	G31.257.V1K
11W CCT set	G31.257.T1K


Pcs 2
Kg 6,7
mc 0,117



*available colour: black

FEBO 1500/G300 *	
E27 lampholder	G31.263.E27
6,5W filament	G31.263.F1R
8,5W CCT set	G31.263.V1K
11W CCT set	G31.263.T1K


Pcs 2
Kg 12
mc 0,207



*available colour: black

ENEA 2000/G300 *	
E27 lampholder	G31.264.E27
6,5W filament	G31.264.F1R
8,5W CCT set	G31.264.V1K
11W CCT set	G31.264.T1K


Pcs 2
Kg 18,2
mc 0,281



*available colour: black

ENEA 2400/G300 *	
E27 lampholder	G31.265.E27
6,5W filament	G31.265.F1R
8,5W CCT set	G31.265.V1K
11W CCT set	G31.265.T1K

Pcs 2
Kg 22,2
mc 0,323



*available colour: black