

GARDEN REVIVAL
GARDEN CLASSIC
BOLLARD
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BULKHEAD
SOLAR
URBAN CLASSIC
URBAN REVIVAL
URBAN MODERN
POST
LAMPS

ESAU

MEDIUM SIZE



Half lantern in classic style with E27 lampholder, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Supplied as optional with TÜV-CB certified, long-life and efficient **LED lamps** suitable for outdoor use. Insulation class II, protection rating IP 55.

*Mezza lanterna in stile classico con portalampada E27, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Fornita anche completa di **lampadine LED** adatte ad uso in ambiente esterno, certificate TÜV-CB, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.*



6,5W 800 lm	8,5W 920 lm	11W 1200 lm
2700 K	2700 K	4000 K 6500 K
+80°C -30°	90% HUMIDITY	VOLTAGE SURGE RESISTANT
INDOOR & OUTDOOR USE		



M26.000.V1K



ESAU - LANTERN COMPONENTS

IP55



CAGE made of shockproof resin material, UV rays stabilized, rust and corrosion-free.

***GABBIA** realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.*



DIFFUSER made of UV stabilized polymethylmethacrylate (PMMA), one piece only closed on the top to ensure high protection against external agents. Available in clear or opal colour.

***DIFFUSORE** in polimetilmetacrilato (PMMA), realizzato in un unico pezzo chiuso in cima per garantire un alto livello di protezione contro gli agenti esterni. Disponibile in colore trasparente od opale.*



WALL PLATE made of shockproof white resin reflective material, UV rays stabilized, rust and corrosion-free. Supplied complete with E27 lampholder.

***BASE A MURO** realizzata in resina antiurto in colore bianco riflettente, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Fornita completa di portalampada E27.*

ESAU

M26.000



Dimensions and weight

Height: 425mm
Width: 265 mm
Depth: 135 mm
Weight: 1,3 Kg

Moulded colours:

Black White

Painted colours:

Antique green Antique bronze

Diffuser PMMA:

Clear Opal

E27 FILAMENT



- perfect **MATCHING WITH DECORATIVE LANTERNS.**
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **360°OMNIDIRECTIONAL LIGHT.**
- **HIGH EFFICIENCY:** 90% ENERGY SAVING.

E27 CCT SET



- **A60 CCT SETTABLE:** 2700K/4000K/6500K.
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **EYE COMFORT** opal glass.
- **HIGH EFFICIENCY:** >85% ENERGY SAVING.

100 - 240 V

suitable lamps: CFL-LED max 160 mm ↔		E27 lampholder only		.E27
LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	
 FILAMENT LED E27	6,5W	800 lm	2700 K	.F1R
 CCT SET LED E27	8,5 W	920 lm	6500 K 4000 K 2700 K	.V1K
 CCT SET LED E27	11 W	1200 lm	6500 K 4000 K 2700 K	.T1K
		6,5W filament	=	60W incandescent
		8,5W CCT		
		11W CCT	=	75W incandescent
SAVE up to 89%				

LED LAMPS




Comply with: EU2019/2015
EU2019/2020
Technical details on page 668.

CCT SETTABLE LED LAMP



CCT switch settable in three different positions, to select the desired Kelvin temperature (2700K/4000K/6500K) and get a customized ambiance.

PHOTOMETRIC DATA SAMPLE



ESAU lantern clear with Fumagalli Filament Led Lamp 6,5W.

height wall mounting: 2mt
6x6mt area: average 4 lux

The photometric data for all the versions are available upon request or on our website.


* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

HALF LANTERNS

GARDEN CLASSIC



MADE IN ITALY



PIERO	
E27	M18.000.E27
6,5W filament	M18.000.F1R
8,5W CCT set	M18.000.V1K
Pcs 18 Kg 15,4 mc 0,172	

IESSE	
E27	M22.000.E27
6,5W filament	M22.000.F1R
8,5W CCT set	M22.000.V1K
Pcs 16 Kg 14 mc 0,224	

ESAU	
E27	M26.000.E27
6,5W filament	M26.000.F1R
8,5W CCT set	M26.000.V1K
11W CCT set	M26.000.T1K
Pcs 10 Kg 13,12 mc 0,20	

DARIA	
E27	M28.000.E27
6,5W filament	M28.000.F1R
11W CCT set	M28.000.T1K
Pcs 1 Kg 2,3 mc 0,03	