

GARDEN REVIVAL
GARDEN CLASSIC
BOLLARD
UP&DOWN
DOWNLIGHT
IN-GROUND
BRICKLIGHT
FLOODLIGHT
BULKHEAD
SOLAR
URBAN CLASSIC
URBAN REVIVAL
URBAN MODERN
POST
LAMPS

PIERO

SMALL SIZE



Half lantern in classic style with E27 lampholder, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Supplied as optional with TÜV-CB certified, long-life and efficient **LED lamps** suitable for outdoor use. Insulation class II, protection rating IP 55.




*Mezza lanterna in stile classico con portalampada E27, realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Fornita anche completa di **lampadine LED** adatte ad uso in ambiente esterno, certificate TÜV-CB, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.*

6,5W 800 lm	8,5W 920 lm	11W 1200 lm
2700 K	2700 K	4000 K 6500 K
+80°C -30°	90% HUMIDITY	VOLTAGE SURGE RESISTANT
INDOOR & OUTDOOR USE		



M18.000.F1R



MADE IN ITALY

IESSE - LANTERN COMPONENTS

IP55



CAGE made of shockproof resin material, UV rays stabilized, rust and corrosion-free.

***GABBIA** realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.*

DIFFUSER made of UV stabilized polymethylmethacrylate (PMMA) resistant to yellowing process due to sun rays, available in clear or opal color and made of one piece only.

***DIFFUSORE** in polimetilmetacrilato (PMMA) resistente al processo di ingiallimento dovuto ai raggi solari, disponibile in colore trasparente od opale e realizzato in un pezzo unico.*

WALL PLATE made of shockproof white resin reflective material, UV rays stabilized, rust and corrosion-free. Provided with double cable entry and supplied complete with E27 lampholder.

***BASE A MURO** realizzata in resina antiurto in colore bianco riflettente, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Provvista di doppia entrata per il cavo elettrico e fornita completa di portalamпада E27.*

PIERO

M18.000



Dimensions and weight

Height: 305 mm
Width: 220 mm
Depth: 110 mm
Weight: 0,8 Kg

Moulded colours:

Black White

Painted colours:

Antique green Antique bronze

Diffuser PMMA:

Clear Opal

E27 FILAMENT



- Perfect **MATCHING WITH DECORATIVE LANTERNS.**
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **360°OMNIDIRECTIONAL LIGHT.**
- **HIGH EFFICIENCY: 90% ENERGY SAVING.**

E27 CCT SET




- **A60 CCT SETTABLE:** 2700K/4000K/6500K.
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **EYE COMFORT** opal glass.
- **HIGH EFFICIENCY: >85% ENERGY SAVING.**

100 - 240 V

*ADD. SUFFIX

suitable lamps: CFL-LED max 150 mm		E27 lampholder only		.E27
LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	
FILAMENT LED E27	6,5W	800 lm	2700 K	.F1R
CCT SET LED E27	8,5 W	920 lm	6500 K 4000 K 2700 K	.V1K
6,5W filament		= 60W incandescent		
8,5W CCT		SAVE up to 89%		

LED LAMPS





Comply with: EU2019/2015
EU2019/2020
Technical details on page 668.

CCT SETTABLE LED LAMP



PHOTOMETRIC DATA SAMPLE



PIERO lantern clear with
Fumagalli Filament Led Lamp 6,5W.

height wall mounting: 2mt
6x6mt area: average 4 lux

The photometric data for all the versions are
available upon request or on our website.

CCT switch settable in three
different positions, to select the
desired Kelvin temperature
(2700K/4000K/6500K) and get
a customized ambiance.

* ADD THESE SUFFIXES TO THE REFERENCES
MENTIONED IN THE CATALOGUE

HALF LANTERNS

GARDEN CLASSIC



MADE IN ITALY



PIERO	
E27	M18.000.E27
6,5W filament	M18.000.F1R
8,5W CCT set	M18.000.V1K
Pcs 18 Kg 15,4 mc 0,172	

IESSE	
E27	M22.000.E27
6,5W filament	M22.000.F1R
8,5W CCT set	M22.000.V1K
Pcs 16 Kg 14 mc 0,224	

ESAU	
E27	M26.000.E27
6,5W filament	M26.000.F1R
8,5W CCT set	M26.000.V1K
11W CCT set	M26.000.T1K
Pcs 10 Kg 13,12 mc 0,20	

DARIA	
E27	M28.000.E27
6,5W filament	M28.000.F1R
11W CCT set	M28.000.T1K
Pcs 1 Kg 2,3 mc 0,03	